Printed Pages: 4 G

GEEK4COMP.BLOGSPOT.COM COMPUTER GEEK



ECS-502

(Following Paper ID and Roll No. to be filled in your Answer Book)

PAPER ID: 110502

Roll No.

B. Tech.

(SEM. V) (ODD SEM.) THEORY EXAMINATION, 2014-15

DESIGN AND ANALYSIS OF ALGORITHMS

GEEK4COMP.BLOGSPOT.COM

COMPUTER GEEK

Time: 3 Hours]

[Total Marks: 100

1 Attempt any four parts of the following:

 $5 \times 4 = 20$

- (a) Solve the following recurrences:
 - i) T(n) = T(n/2) + T(n/4) + T(n/8) + n
 - ii) $T(n) = T(\sqrt{n}) + O(\lg n)$
- (b) What is the time complexity of counting sort?

 Illustrate the operation of counting sort on array

 A={1,6,3,3,4,5,6,3,4,5}
- (c) Describe the properties of red Black tree. Show that Red Black Tree with n internal nodes has height at most 2lg(n+1).
- (d) Discuss the complexity of Max-Heapify and Build-Max Heap procedures.
- (e) Discuss asymptotic notations in brief.
- (f) Discuss the best case and worst case complexities of quick sort algorithm in detail.

110502]

1

[Contd...

2 Attempt any two parts of the following:


10×2=20

- (a) What are the advantages of Red Black Tree over Binary Search Tree? Write algorithms to insert a key in a red black tree. Insert the following sequence of information in an empty red black tree 1, 2, 3, 4, 5, 5.
- (b) Define the binomial heap in detail. Write an algorithm for performing the union operation of two binomial heaps and also explain with suitable example.
- (c) How B-Tree differs with other tree structures. Insert the following information F, S, Q, K, C, L, V, W, M, R, N, P, A, D, Z, E into an empty B-Tree with degree t = 2.

GEEK4COMP.BLOGSPOT.COM COMPUTER GEEK

3 Attempt any two parts of the following: 10×2=20


- (a) What do you mean by minimum spanning tree? Write an algorithm for minimum spanning tree that may generate multiple forest trees and also explain with suitable example.
- (b) Describe in detail the Strassen's Matrix Multiplication algorithms based on divide and conquer strategies with (suitable example.
- (c) Given a weighted directed graph G= (V, E) with source s and weight function W: E→R, then write an algorithm to solve a single source shortest path problem whose complexity is O (VE). Apply the same on the following graph.



Attempt any two parts of the following:

 $10 \times 2 = 20$

- (a) Differentiate between Dynamic programming and Greedy approach. What is 0/1 knapsack problem? Solve the following instance using Dynamic programming, write the algorithm also. Knapsack Capacity=10 P=<1,6,18,22,28> and w=<1,2,5,6,7>.
- (b) Differentiate between Backtracking and Branch and Bound approach. Write an algorithms for sum subset problem using back tracking approach. Find all possible solution for following instance using same if m=30, S=< 1,2,5,7,8,10,15,20,25 >.
- (c) Define TSP problem in detail. Find the solution for the following instance of TSP problem using branch and bound.



- 5 Attempt any two parts of the following: 10×2=20
 - (a) Define different complexity classes in detail with suitable example. Show that TSP problem is NP Complete.
 - (b) Describe approximation Algorithm in detail. What is the approximation ratio? Show that vertex cover problem is 2 approximate.
 - (c) What is string matching algorithm? Write Knuth-Morris-Pratt algorithm and also calculate the prefix function for the pattern P=ababaaca.

GEEK4COMP.BLOGSPOT.COM COMPUTER GEEK